



2016 Air Quality Progress Report for Bridgend County Borough Council

In fulfillment of Part IV of the Environment Act 1995 Local Air Quality Management

3rd June 2016

| Local Authority Officer | Craig Lewis |
|----------------------------|--|
| | |
| Department | Shared Regulatory Services |
| Address | Public Protection Legal and Regulatory Services Bridgend County Borough Council Civic Offices Angel Street Bridgend CF31 4WB |
| Telephone | |
| e-mail | Craig.Lewis2@bridgend.gov.uk |
| Report Reference number | Progress Report 2016 |
| Date | 03/06/2016 |

Shared Regulatory Services Gwasanaethau Rheoliadol a Rennir Bridge

Bridgend County Borough Council

Executive Summary

This Progress Report fulfils the requirements of the Local Air Quality Management process as set out in Part IV of the Environment Act (1995), the Air Quality Strategy for England, Scotland, Wales and Northern Ireland 2007 and the relevant Policy and Technical Guidance documents.

This document is part of Bridgend County Borough Council's sixth round of Review and Assessment. Results from monitoring by the Council are presented and sources of air pollution identified. The Progress Report determines those changes since the last assessment, which could lead to the risk of an air quality objective being exceeded.

This Progress Report confirms that air quality within Bridgend County Borough continues to meet the relevant air quality objectives as prescribed in the Air Quality (Wales) Regulations 2000 and the Air Quality (Amendment) (Wales) Regulations 2002.

Due to technical issues there was insufficient data capture for NO_2 over the yearly period using the automated NOx Analyser (44%). NO_2 co-location study was unable to be undertaken; alternatively a national bias adjustment factor obtained from the Defra website based on 21 studies was applied. In addition, as a result of the insufficient data capture annualisation of data for the NOx Analyser and incomplete data sets for diffusion tubes has been undertaken using two continuous AURN urban background sites in Cwmbran and Bristol (St Paul's), both with data capture greater than 85%, this being in accordance to LAQM TG16, Box 7.10. The data collected for PM_{10} for 2015 has been rejected on the basis of low data capture and accuracy of results, occurring from mechanical issues. In November 2015 the Met E PM_{10} Sampler had to be sent off for repair.

In addition to the technical issues faced at Bridgend Council's Ewenny Roundabout AMS, Rockwool Ltd have encountered communication errors with their SO₂ analyser. Rockwool are only able to provide data up until 5th November 2015. Total data capture was 82.3% and there were no exceedences of the objectives during this time period. With regards to the 15 minute SO₂ objective, Rockwool has provided 10 minute sampling periods, therefore please be aware that the result stipulated in Table 2.5 gives the 10 minute 99.9th Percentile result. At the time of writing this report, Rockwool has had the Analyser serviced and it is now recording data effectively.



The Progress Report has not identified a need to consider proceeding to a Detailed Assessment for any other pollutant.

Monitoring of Nitrogen Dioxide and PM_{10} will continue at the same sites as at the end of 2015.



Table of Contents

| EX | ecuti | ve Summary | I |
|----|-------|--|----|
| 1 | Intr | oduction | 1 |
| | 1.1 | Description of Local Authority Area | 1 |
| | 1.2 | Purpose of Progress Report | 2 |
| | 1.3 | Air Quality Objectives | 2 |
| | 1.4 | Summary of Previous Review and Assessments | 4 |
| 2 | Nev | w Monitoring Data | 11 |
| | 2.1 | Summary of Monitoring Undertaken | 11 |
| | 2.2 | Comparison of Monitoring Results with Air Quality Objectives | 23 |
| 3 | Nev | v Local Developments | 38 |
| | 3.1 | Road Traffic Sources | 38 |
| | 3.2 | Other Transport Sources | 40 |
| | 3.3 | Industrial Sources | 41 |
| | 3.4 | Commercial and Domestic Sources | 42 |
| | 3.5 | New Developments with Fugitive or Uncontrolled Sources | 43 |
| 4 | Cor | nclusions and Proposed Actions | 49 |
| | 4.1 | Conclusions from New Monitoring Data | 49 |
| | 4.2 | Conclusions from Assessment of Sources | 49 |
| | 4.3 | Proposed Actions | 49 |
| 5 | Ref | erences | 51 |

List of Tables

Table 1 – Air Quality Objectives included in regulations for the purpose of Local Air Quality Management. (LAQM)

- Table 2 Details of automatic monitoring sites
- Table 2.2 Details of non-automatic monitoring sites
- Table 2.3 Results of nitrogen dioxide diffusion tubes



Table 2.4 – Results of predicted nitrogen dioxide concentrations at building facades nearest to kerbside and roadside monitoring sites

Table 2.5 – Results of SO₂ automatic monitoring: Comparison with objectives

List of Figures

Figure 2.1 Map of Ewenny Roundabout Automatic Monitoring Site

Figure 2.2 Map of Rockwool Automatic Monitoring Site

Figure 2.2a – AREA A – Tondu Roundabout NO₂ Diffusion Tube Locations

Figure 2.2b – AREA B – Ewenny Roundabout, A48 By Pass NO₂ Diffusion Tube Locations

Figure 2.2c – AREA C – Nolton Street / Ewenny Rd NO₂ Diffusion Tube Locations

Figure 2.2d – AREA D – Maesteg Town Centre NO₂ Diffusion Tube Location



Appendices

Appendix A: Diffusion Tube Monitoring Data 2015

Appendix B: QA/AC Data



1 Introduction

1.1 Description of Local Authority Area

- 1.1.1 The County Borough is a Unitary Authority which lies on the coast at the geographical heart of South Wales. It is bordered by Neath Port Talbot County Borough to the west and north, Rhondda Cynon Taff County Borough to the north and north east, and by the Vale of Glamorgan Council to the east. It has an area of about 25,500 hectares, and in 2011 had a Census population of 139,178.
- 1.1.2 While Bridgend County Borough is geographically, one of the smaller Unitary Authorities in Wales; it is the 10th largest in terms of its total population. In 2011, its population density averaged 5.6 people per hectare, compared with an average of 1.5 for Wales, reflecting its relatively urban nature. Despite this, about 50% of the County Borough's area is countryside which includes agricultural uses and Common Land.
- 1.1.3 The largest settlement and administrative centre of the County Borough is the town of Bridgend. The two other largest towns are Maesteg and Porthcawl.
- 1.1.4 The County Borough is an area of contrasting topography and landscape ranging from the elevated plateau of the South Wales coalfield which is cut by the northern valleys of the Llynfi, Ogmore and Garw rivers, to the southern coastal plain and its heritage coastline. The centre of the County Borough is traversed by the M4 motorway corridor and the main South Wales railway line, where many of the area's major employment sites are situated (including those mainly to the east of Bridgend), and which therefore enjoy excellent communications links with Cardiff to the east and Swansea to the west.



1.2 Purpose of Progress Report

This report fulfils the requirements of the Local Air Quality Management (LAQM) process as set out in Part IV of the Environment Act (1995), the Air Quality Strategy for England, Scotland, Wales and Northern Ireland 2007 and the relevant Policy and Technical Guidance documents. The LAQM process places an obligation on all local authorities to regularly review and assess air quality in their areas, and to determine whether or not the air quality objectives are likely to be achieved. Where exceedences are considered likely, the local authority must then declare an Air Quality Management Area (AQMA) and prepare an Air Quality Action Plan (AQAP) setting out the measures it intends to put in place in pursuit of the objectives.

For Local Authorities in Wales, Progress Reports are required in the intervening years between the three-yearly Updating and Screening Assessment reports. Their purpose is to maintain continuity in the LAQM process.

They are not intended to be as detailed as Updating and Screening Assessment Reports, or to require as much effort. However, if the Progress Report identifies the risk of exceedence of an Air Quality Objective, the Local Authority (LA) should undertake a Detailed Assessment immediately, and not wait until the next round of Review and Assessment.

1.3 Air Quality Objectives

The air quality objectives applicable to LAQM **in Wales** are set out in the Air Quality (Wales) Regulations 2000, No. 1940 (Wales 138), Air Quality (Amendment) (Wales) Regulations 2002, No 3182 (Wales 298), and are shown in Table 1.1. This table shows the objectives in units of microgrammes per cubic metre $\mu g/m^3$ (milligrammes per cubic metre, mg/m^3 for carbon monoxide) with the number of exceedences in each year that are permitted (where applicable).



Table 1.1 – Air Quality Objectives included in Regulations for the purpose of LAQM in Wales

| Pollutant | Air Quality | Date to be | |
|--|---|------------------------|-------------|
| Pollulani | Concentration | Measured as | achieved by |
| Benzene | 16.25 μg/m ³ | Running annual mean | 31.12.2003 |
| | 5.00 μg/m ³ | Annual mean | 31.12.2011 |
| 1,3-butadiene | 2.25 μg/m ³ | Running annual mean | 31.12.2003 |
| Carbon monoxide | 10 mg/m ³ | Running 8-hour mean | 31.12.2003 |
| 1 1 | 0.50 μg/m ³ | Annual mean | 31.12.2004 |
| Lead | 0.25 μg/m ³ | Annual mean | 31.12.2008 |
| Nitrogen dioxide | 200 µg/m ³ not to be exceeded more than 18 times a year | 1-hour mean | 31.12.2005 |
| | 40 μg/m ³ | Annual mean | 31.12.2005 |
| Particulate matter (PM ₁₀) (gravimetric) | 50 µg/m³, not to be exceeded more than 35 times a year | 24-hour mean | 31.12.2004 |
| (3: ::::::::::, | 40 μg/m ³ | Annual mean | 31.12.2004 |
| | 350 µg/m ³ , not to be exceeded more than 24 times a year | 1-hour mean | 31.12.2004 |
| Sulphur dioxide | 125 µg/m ³ , not to be exceeded more than 3 times a year | 24-hour mean | 31.12.2004 |
| | 266 µg/m ³ , not to be exceeded more than 35 times a year | 15-minute mean | 31.12.2005 |



1.4 Summary of Previous Review and Assessments

First Round of Review and Assessment

Between 1999 and 2001, Bridgend County Borough Council published reports corresponding to stages 1, 2 and 3 of the first round of review and assessment of air quality. Seven key pollutants were examined (carbon monoxide, benzene, 1,3-butadiene, lead, nitrogen dioxide, fine particles (PM₁₀) and sulphur dioxide). These assessments predicted no exceedences of any of the objectives. It concluded that in order to fulfil the requirements of the Environment Act 1995, air quality should be reviewed and assessed again in 2003.

Second Round of Review and Assessment

Following new technical and policy guidance issued by Defra, Bridgend County Borough Council published its first Updating and Screening Assessment in June 2003. Of the seven pollutants subjected to the updating and screening assessment process, it was concluded that the likelihood of the air quality objectives for carbon monoxide, benzene, 1,3-butadiene, lead and sulphur dioxide being exceeded was negligible and that it was not necessary to carry out a detailed assessment of any of these pollutants. However, the updating and screening assessment for nitrogen dioxide and PM₁₀ revealed gaps in the data gathered and concluded that there was evidence to suggest noncompliance with the air quality objectives for PM₁₀ and NO₂ at three locations resulting from road traffic emissions. It was suggested that there was a requirement to continue to a Detailed Assessment for the following locations;

- A48 Ewenny Cross, Bridgend
- The western end of Cowbridge Road, Bridgend
- The western end of the Bridgend Cross Valley Link Road.

In addition it was also recommended to carry out a co-location exercise to determine the bias correction for the passive nitrogen dioxide detector tubes provided and analysed by Severn Trent Laboratories.

In July 2005, Bridgend County Borough Council's Local Air Quality Management Progress Report recommended that;

-All currently held data should be, as far as possible, ratified.

Shared Regulatory Services Gwasanaethau Rheoliadol a Rennir

Bridgend County Borough Council

-Data shall continue to be gathered from the three sites identified in the June 2003 USA to enable conclusions to be drawn on the current and future air quality at these locations. The results will be presented in a Detailed Assessment of Air Quality at these locations by 31st December 2005.

-The mobile PM₁₀ and NO_x monitoring station should be added to the Welsh Air Quality Forum Network of sites and receive appropriate Quality Assurance and Quality Control (QA/QC) to validate any data gathered.

In March 2006 a Detailed Assessment for Nitrogen Dioxide and Particles (PM_{10}) was produced in March 2006 and concluded that the current air quality objectives for nitrogen dioxide and particles PM_{10} are being met and that the 2010 Air Quality Daughter Directive limit value for nitrogen dioxide will also be achieved at the three road junctions assessed. However, it also recommended that monitoring data from the three road junction sites identified in the June 2003 USA should continue to be gathered to enable assessment of future air quality at these locations.

Third Round of Review and Assessment

Bridgend County Council published its second USA in May 2006. The assessment concluded that there was no requirement to proceed to a detailed assessment for any pollutant in Bridgend County Borough.

The Council published Progress Reports in 2007 and 2008. Both reports coincided with one another, issuing similar conclusions and recommendations. They indicated that no air quality objectives prescribed in the Air Quality (Wales) Regulations 2000 and the Air Quality (Amendment) (Wales) Regulations 2002 will be breached at any relevant locations.

In terms of monitoring locations, the reports highlighted the following;

-Data on NO₂ concentrations will continue to be gathered at relevant locations adjacent to A48 Ewenny Cross, the western end of Cowbridge Road and at Tondu Road on the western end of the Bridgend Cross Valley Link Road.

-Monitoring of PM₁₀ and NO₂ will continue at Kenfig Hill adjacent to the opencast coal site operated by Celtic Energy Ltd.



-Monitoring of NO₂ and sulphur dioxide (SO₂) will take place at relevant locations adjacent to Rockwool Ltd, Wern Tarw, Pencoed when the new factory extension becomes operational.

Fourth Round of Review and Assessment

The Bridgend County Council published its third USA in June 2009. There was no evidence of any significant breaches of the air quality objectives prescribed in the Air Quality (Wales) Regulations 2000 and the Air Quality (Amendment) (Wales) Regulations 2002, at any relevant locations. The report did however draw attention upon an ongoing trend for NO₂ concentrations at Ewenny Cross, Bridgend, and Tondu Road, Bridgend, at the façade of the nearest houses, to be at or close to the air quality objective for NO₂ for 2007." It was decided that monitoring would continue at the two highlighted sites as part of an ongoing Detailed Assessment to be produced later that year.

The 2010 Progress Report stated the following;

The conclusions for the new monitoring data in relation to Ewenny Cross and Tondu Rd show that Ewenny Cross has exceeded the annual mean National Air Quality Objective for nitrogen dioxide (NO₂) and this will be reported in depth in the Detailed Assessment to be produced later this year.

The results for nitrogen dioxide at Tondu Rd show that the annual mean National Air Quality Objective for nitrogen dioxide (NO₂) has not been exceeded. However, in view of the results which are very close to the objective, monitoring will continue at this location for at least another year.

There are no new local developments likely to give rise to a significant impact on air quality within the County Borough.

There are no other issues that give rise to concern in terms of impact on air quality within the County Borough.

The Detailed Assessment for Ewenny Cross is near completion and will be produced in May 2010.

A further progress report will be produced early in 2011.

Shared Regulatory Services Gwasanaethau Rheoliadol a Rennin

Bridgend County Borough Council

The 2010 Detailed Assessment for Ewenny Cross was subsequently submitted and stated:

This Detailed Assessment of Air Quality has shown that the current air quality objectives for nitrogen dioxide (NO₂) are not being met at the south western sector of Ewenny Cross, Bridgend but are being met at the Bridgend Cross Valley Link, Tondu Road, Bridgend.

In view of the above, the following recommendations have been made:

-Monitoring should continue at its present level at the Bridgend Cross Valley Link, Tondu Road and at Ewenny Cross, Bridgend.

-A continuous monitor, together with a meteorological station, should be installed at or as near to the south western sector of Ewenny roundabout as is practical.

Following discussions with Welsh Assembly Government and UWE it was decided that the Detailed Assessment should remain ongoing and that any decision to declare an AQMA for Ewenny Cross should be delayed until continuous monitoring data for 2010 has been collated and analysed.

The 2011 Progress report stated the following:

Following the Detailed Assessment submitted in June 2010 and the response from WAG, the Authority decided, in consultation with WAG and UWE to defer a decision to declare an AQMA for Ewenny Cross until a full calendar year of continuous monitoring data had been collated and analysed.

Due to equipment failure and contractual issues, continuous monitoring at Ewenny Cross has been significantly delayed. Continuous sampling commenced in March 2011 as did a diffusion tube co-location study.

The conclusions from annualised monitoring data obtained since the last report show that one sampling point at Ewenny Cross has exceeded the annual mean National Air Quality Objective for nitrogen dioxide (NO₂). The other nine around the Cross remain within the annual mean National Air Quality Objective.

The results for nitrogen dioxide diffusion tube monitoring at Tondu Rd show that the National Air Quality Objective's annual mean for nitrogen dioxide (NO₂) has not been exceeded. However, results are very close to the objective and monitoring will continue at this location for another year.

No continuous PM_{10} data could be retrieved for South Cornelly or Kenfig Hill due to equipment failure.

The nitrogen dioxide diffusion tube sampling locations in Maesteg town centre which were set up in July 2010 following local concerns have shown to date, an exceedance at one sampling point. As a result, more monitoring location points have been put in place and will be reported upon in the next USA report.

Fifth Round of Review and Assessment

Bridgend County Council published its fourth USA May 2012. In addition a Detailed Assessment was submitted for Ewenny Cross. The reports identified;

- -There were no indications of any significant breaches of the air quality objectives prescribed in the Air Quality (Wales) Regulations 2000 and the Air Quality (Amendment) (Wales) Regulations 2002.
- -There was an exceedance of the objective for Nitrogen Dioxide at one location in Maesteg. However, this was marginal and the other sample points in the immediate vicinity were below the National Objectives for Nitrogen Dioxide. Monitoring continued at this site and extra sample sites, in addition to those already in place were set up where practicable. The data so far for this location, in view of the above, does not suggest that a Detailed Assessment is necessary at this time, although this will be subject to review as more data is collected and analysed.

The positioning of an Automated Continuous NOx Analyser and co-location study at Ewenny Cross has provided robust information as to the air quality situation and indicates that Nitrogen Dioxide levels do not exceed the National Air Quality Objectives. This Automated Continuous NOx Analyser will be retained at this site to gather more data over the coming year.

The Detailed Assessment 2012 completed in tandem with this Report concluded that it is not necessary at this point in time to proceed with declaring an Air Quality Management Area at Ewenny Cross. The situation will continue to be monitored by way of the co-



location study utilising the Automated Continuous NOx Analyser and the numerous Nitrogen Dioxide Diffusion Tube sites situated at the Cross

The 2013 Progress report provided the following findings and recommendations;

The Report has not identified a need to proceed to a Detailed Assessment for any pollutant.

The Report has identified a need to continue monitoring for Nitrogen Dioxide in Maesteg Town Centre.

Monitoring of Nitrogen Dioxide and PM_{10} will continue at the same sites as at the end of 2012.

The Automated Continuous NOx Analyser and co-location study will continue at Ewenny Cross Roundabout for this year to acquire more robust data. In the light of the acquired data, the positioning and possible relocation of the Automatic Monitoring Station will be decided at the end of 2013.

Bridgend County Borough Council will submit a Progress Report in May 2014.

The 2014 Progress report stated the following:

With the exception of Ewenny Cross Roundabout as highlighted above, the Progress Report has not identified a need to consider proceeding to a Detailed Assessment for any other pollutant.

Monitoring of Nitrogen Dioxide and PM_{10} will continue at the same sites as at the end of 2013.

Bridgend County Borough Council will submit a progress report in May 2015.



Sixth Round of Review and Assessment

Bridgend County Council published its fourth USA September 2015. The assessment identified no need to proceed to a Detailed Assessment for any pollutant.

Monitoring of Nitrogen Dioxide and PM_{10} will continue at the same sites as at the end of 2014.



2 New Monitoring Data

2.1 Summary of Monitoring Undertaken

2.1.1 Automatic Monitoring Site

Within the County Borough, there are two automatic monitoring location sites. These are Rhiwceilog, and Ewenny Cross Roundabout.

The Rhiwceilog monitoring site is managed and maintained by Rockwool Ltd. Within the monitoring unit is an API AMX monitor capable of giving continuous fifteen minute averages of Sulphur Dioxide SO₂ concentrations. The location of the site is shown in **Figure 2.3** and details of the site are contained in **Table 2.1**. The equipment is calibrated by an Environment Officer at Rockwool on a fortnightly basis and serviced and maintained by Enviro Technology on a six monthly basis. Data obtained is checked for validation and ratified by Rockwool's Environment Officer.

The Ewenny Cross Roundabout unit has been located at this site since 2011 following a high level of Nitrogen Dioxide diffusion tube results being obtained within the area. The location of the site is shown in **Figure 2.1** and details of the site are contained in **Table 2.1**. Within the mobile station is an API NOx analyser capable of providing continuous fifteen minute averages of Nitrogen Dioxide NO₂ concentrations and a Met One E-Sampler PM₁₀ monitor.

The mobile station is also equipped with a meteorological station so that local weather data can be gathered for use in conjunction with the air quality data. The Ewenny Cross Roundabout air quality monitoring station is calibrated by a Local Authority Officer on a fortnightly basis and serviced and maintained by Enviro Technology on a six monthly basis. Data obtained is checked for validation and ratified by a Local Authority Officer.

Unfortunately less than 6months of continued data has been gathered at Ewenny Cross Roundabout for this year due to a fault with the air conditioner unit. This problem was resolved via the installation of a new air conditioner unit in April 2015.

In addition to the above, it is also important to note that whilst the monitoring equipment obtained automatic data, it was not connected to the Automatic Urban & Rural Network (AURN) and no external QA/QC monitoring is currently being carried out at any of the sites.

Figure 2.1 Map of Ewenny Cross Roundabout Automatic Monitoring Site






Figure 2.2 Map of Rockwool Automatic Monitoring Site






Table 2.1 Details of Automatic Monitoring Sites

| Site ID | Site Name | Site Type | X OS Grid Reference | Y OS Grid Reference | Inlet Height (m) | Pollutants Monitored | In AQMA? | Monitoring Technique | Relevant Exposure? (Y/N with distance (m) from monitoring site to relevant exposure) | Distance to Kerb of Nearest Road (m) (N/A if not applicable) | Does this Location Represent Worst- Case Exposure? |
|---------|-------------------------------|--------------|------------------------|------------------------|------------------------|-------------------------|-------------|---|--|---|---|
| СМ1 | Ewenny Cross Roundabout | Roadside | 290565 | 178567 | 2.0 | NO ₂ | N | Automated continuous NOx Analyser Met One E-Sampler PM ₁₀ monitor | Y (8.8m) | 2.22m | Y |
| CM2 | Rockwool | Industrial | 297512 | 184539 | 4.0 | SO ₂ | N | Automated continuous SO ₂ Analyser | 1700m | N/A | Y |

2.1.2 Non-Automatic Monitoring Sites

Bridgend County Borough Council carries out monitoring of ambient air quality for nitrogen dioxide (NO₂). During the period since the Updated Screening Assessment in 2015, monitoring of NO₂ using passive diffusion tubes has been carried out at twenty five locations throughout the County Borough.

Monitoring has continued at the three road junctions that were the subject of the 2010 Detailed Assessment Report, 2012 Updated Screening Assessment and 2013 & 2014 Progress Reports. The locations are, Ewenny Cross Roundabout, Tondu Road Roundabout and the Western end of Cowbridge Road, Bridgend.

As a result of the 2010 Detailed Assessment Report which identified NO₂ levels above the National Objectives at the A48 Bypass Rd (Ewenny Rd Roundabout), a total of fourteen NO₂ passive diffusion tubes have now been placed at this location. At the Western end of Cowbridge Road, Bridgend, there are two diffusion tube monitoring sites, whilst at the western end of the Bridgend Cross Valley Link Road (Tondu Roundabout) there are a total of four.

Following concerns received in 2010 regarding traffic congestion within and around Maesteg Town Centre, nitrogen dioxide (NO₂) levels were monitored utilising passive diffusion tubes. Due to continuous acts of vandalism only four monitoring sites remained for the period between January to December 2015.

In May 2014, an additional monitoring location site was installed at Tremains Road, Bridgend following concerns from residents in relation to an increase in traffic flow.

National background concentrations provided by Defra are now utilised for the purpose of bias correcting and annualising data obtained via the website link: http://laqm.defra.gov.uk/maps/maps2010.html#2010BackgroundMaps

NO₂ Diffusion Tube Locations

The location of the 4 areas where NO₂ monitoring has taken place;

- Tondu Road Roundabout at the Western End of the Bridgend Cross Valley
 Link Road (Map A).
- b. Ewenny Cross Roundabout, Bridgend (Map B).
- c. The Western End of Cowbridge Road, Bridgend (Map C).
- d. Maesteg Town Centre (Map D)
- e. Tremains Road, Bridgend

The location, site description and data gathered since January 2015 are given in **Table 2.2**. The data has been gathered over a period of 12 months between January and December 2015.

Laboratory Methods and Analysis of Diffusion Tubes

Analysis of the exposed tubes is carried out by Environmental Scientifics Group Didcot operating procedure HS/GW1/1015, issue 10. The tubes are prepared by spiking acetone:triethanolomine (50:50) on the grids prior to the tubes being assembled. The tubes are desorbed with distilled water and the extract analysed using a segmented flow auto analyser with ultraviolet detection. As set out in the practical guidance the results were initially calculated assuming an ambient temperature of 11°C and then adjusted to 20°C to allow direct comparison with EU limits. The national bias correction factor for this laboratory was utilised as opposed to our own local co-location data. The reason for this was due to insufficient data capture at the Ewenny Cross Roundabout Site to compare our co-location diffusion tube data. The bias correction factor of 0.81 was obtained from the following website: http://lagm.defra.gov.uk/bias-adjustment-factors/national-bias.html

Where the year data capture is less than 75% (9 months), the Bias Corrected Annual Mean Concentrations have been "annualised" following the method as in Box 7.9 & 7.10 of LAQM.TG16.

Where an exceedance is measured at a monitoring site not representative of public exposure, NO₂ concentration at the nearest relevant exposure has been estimated based on the "NO₂ fall-off with distance" calculator (http://laqm.defra.gov.uk/tools-monitoring-data/no2-falloff.html). The procedure is described in LAQM. TG16 Section 7.77-7.79.



Figure 2.2a - AREA A - Tondu Roundabout NO₂ Diffusion Tube Locations






Figure 2.2b – AREA B – Ewenny Cross Roundabout, A48 By-Pass NO₂ Diffusion Tube Locations






Figure 2.2c – AREA C – Nolton Street / Ewenny Rd NO₂ Diffusion Tube Locations (The Western End of Cowbridge Road)






Figure 2.2d – AREA D – Maesteg Town Centre NO₂ Diffusion Tube Location






Figure 2.2d - AREA E - Tremains Rd - NO₂ Diffusion Tube Location






Table 2.2 Details of Non-Automatic Monitoring Sites 2015

| Site Id | Area | Site Name | Site Type | X OS Grid Ref. | Y OS Grid Ref. | Site Height (m) | Pollutants Monitored | In AQMA | Co-located with a Continuous Analyser (Y/N) | Relevant Exposure ? (Y/N with (m) to relevant exposure) | Distance to kerb of nearest road in metres | Worst- case Location ? |
|---------------------|---------|------------------------------------|-------------------------------|----------------------|----------------------|-----------------------|-------------------------|------------|---|---|--|---------------------------------|
| TONDU ROAD RO | UNDABOL | | T | ı | | | | | | | | |
| DT1-OBC-001A | Α | Tondu Road, Bridgend | Kerbside | 290347 | 179955 | 2.0 | NO ₂ | N | N | 6.74 | 0.46 | Y |
| DT5-OBC-048 | Α | Tondu Road Roundabout, Bridgend | Roadside | 290337 | 179997 | 2.0 | NO ₂ | N | N | 9.60 | 2.23 | Y |
| DT2-OBC-068 | Α | Bridgend United Club | Roadside | 290356 | 179924 | 2.0 | NO ₂ | N | N | 0.00 | 3.83 | Y |
| DT3-OBC-069 | Α | Tondu Rd Steps | Roadside | 290326 | 180005 | 2.0 | NO ₂ | N | N | 10.44 | 2.89 | Υ |
| NOLTON STREET | 1 | | T | ı | | 1 | | 1 | | | | |
| DT23-OBC-049 | С | Nolton Street, Bridgend | Roadside | 290700 | 179305 | 2.0 | NO ₂ | N | N | 0.70 | 4.25 | Y |
| DT24-OBC-050 | С | Ewenny Road, Bridgend | Roadside | 290665 | 179293 | 2.0 | NO ₂ | N | N | 6.51 | 7.33 | Y |
| EWENNY CROSS | | | Ι = | ı | | 1 | T | T | Ι | | | |
| DT9-OBC-041 | В | Priory Avenue, Bridgend | Roadside | 290733 | 178535 | 2.0 | NO ₂ | N | N | 7.38 | 1.29 | Υ |
| DT12-OBC-043 | В | A48 Bypass, Bridgend | Roadside | 290609 | 178567 | 2.0 | NO ₂ | N | N | 9.79 | 2.04 | Y |
| DT8-OBC-044 | В | Ewenny Road, Bridgend | Roadside | 290680 | 178582 | 2.0 | NO ₂ | N | N | 10.38 | 13.66 | Y |
| DT6-OBC-055 | В | Ewenny Road | Roadside | 290583 | 178371 | 2.0 | NO ₂ | N | N | 6.48 | 3.18 | Y |
| DT7-OBC-056 | В | Ewenny Road | Kerbside | 290596 | 178361 | 2.0 | NO ₂ | N | N | 11.83 | 0.47 | Y |
| DT14-OBC-075 | В | A48 Bypass, Bridgend | Urban Background | 290607 | 178580 | 2.0 | NO ₂ | N | N | 0.00 | 18.51 | Y |
| DT15-OBC-078 | В | Corner of Ewenny Roundabout | Roadside | 290662 | 178533 | 2.0 | NO ₂ | N | N | 4.40 | 1.85 | Y |
| DT17-OBC-085 | В | A48 Bypass, Bridgend | Roadside | 290524 | 178541 | 2.0 | NO ₂ | N | N | 0.00 | 10.28 | Y |
| DT19-OBC-087 | В | A48 Bypass, Bridgend | Roadside | 290606 | 178572 | 2.0 | NO ₂ | N | N | 0.00 | 9.40 | Y |
| DT20-OBC-088 | В | A48 Bypass, Bridgend | Roadside | 290566 | 178566 | 2.0 | NO ₂ | N | Υ | 0.00 | 2.20 | Υ |
| DT21-OBC-089 | В | A48 Bypass, Bridgend | Roadside | 290566 | 178566 | 2.0 | NO ₂ | N | Υ | 0.00 | 2.20 | Υ |
| DT22-OBC-090 | В | A48 Bypass, Bridgend | Roadside | 290566 | 178566 | 2.0 | NO ₂ | N | Y | 0.00 | 2.20 | Y |
| DT16-OBC-091 | В | A48 Bypass, Bridgend | Roadside | 290610 | 178533 | 2.0 | NO ₂ | N | N | 0.00 | 13.39 | Y |
| MAESTEG TOWN | CENTRE | | | | | | | | | | | |
| DT26-OBC-080 | D | Commercial Street, Maesteg | Urban Centre/ Kerbside | 285131 | 191284 | 2.0 | NO ₂ | N | N | 1.21 | 0.58 | Y |
| DT27-OBC-081 | D | Talbot Street, Maesteg | Urban Centre / Roadside | 285229 | 191331 | 2.0 | NO ₂ | N | N | 0.0 | 1.26 | Y |
| DT28-OBC-082 | D | Castle Street, Maesteg | Urban Centre / Roadside | 285296 | 191398 | 2.0 | NO ₂ | N | N | 0.0 | 2.72 | Y |
| DT29-OBC-083 | D | Castle Street, Maesteg | Urban Centre / Roadside | 285370 | 191382 | 2.0 | NO ₂ | N | N | 6.9 | 2.04 | Y |



2.2 Comparison of Monitoring Results with Air Quality Objectives

During 2015 monitoring was carried out for Nitrogen Dioxide, Particulate Matter (PM_{10}) and Sulphur Dioxide. There was no monitoring undertaken for benzene or 1-3-butadiene.

2.2.1 Nitrogen Dioxide

Nitrogen Dioxide was measured during 2015 at one site equipped with an automatic analyser and by a network of 25 diffusion tubes.

Automatic Monitoring Data

As described in previous sections, monitoring of NO₂ has continued to be carried out at Ewenny Cross Roundabout. However due to a fault with the electrical supply and air conditioning unit, no monitoring data has been gathered at this site before 23rd July 2015.



Table 2.3 – Results of Automatic Monitoring for NO₂: Comparison with Annual Mean

Objective

| | | | Valid Data | Valid Data — | | Annual Mean Concentration (μg/m³) | | | | |
|---------|-----------|-----------------|---------------------------------------|--------------|-------------------|-----------------------------------|------|-----------------|--------------------|--|
| Site ID | Site Type | Within AQMA? | Capture for Monitoring Period % | Capture 2015 | 2011 | 2012 | 2013 | 2014 | 2015 ° | |
| CM1 | Roadside | N | 99.3 | 44 | 18.8 ¹ | 26.6 | 42 | NR ² | 30.49 ¹ | |

In bold, exceedence of the NO_2 annual mean AQS objective of $40\mu g/m^3$

¹ Annualised result ² NO RESULT "NR". No data recorded for 2014 due to technical faults incurred with Automatic Monitoring Station



Table 2.4 – Results of Automatic Monitoring for NO₂: Comparison with 1-hour Mean

Objective

| | | | Valid Data | Valid Data | Number of Hourly Means > 200µg/m ³ | | | | | |
|---------|-----------|-----------------|---------------------------------------|--------------|---|------|------|-----------------|------------|--|
| Site ID | Site Type | Within AQMA? | Capture for Monitoring Period % | Capture 2015 | 2011 | 2012 | 2013 | 2014 | 2015 | |
| CM1 | Roadside | N | 99.3 | 44 | 0 | 0 | 0 | NR ³ | 0 (30.44)4 | |

³ NO RESULT "NR". No data recorded for 2014 due to technical faults incurred with Automatic Monitoring Station ⁴ Data capture for full calendar year is less than 85%, results given in brackets is the 99.8th percentile of hourly means



Diffusion Tube Monitoring Data

Tondu Road Roundabout

The diffusion tube results for Tondu Road Roundabout, Bridgend show that there are no exceedences of the National Air Quality Objectives for Nitrogen Dioxide (NO₂).

Ewenny Cross Roundabout

The diffusion tube results for Ewenny Cross Roundabout, Bridgend show that there are no exceedences of the National Air Quality Objectives for Nitrogen Dioxide (NO₂).

Maesteg Town Centre

The diffusion tube results for Maesteg Town Centre show that there was one exceedance of the National Air Quality Objectives for Nitrogen Dioxide (NO₂). The exceedance was at the location (OBC-082) and had a concentration value of 45 ug/m³. This monitoring location was identified as an issue in the 2013 progress report and was presumed to be high due to vehicles accelerating around the corner at traffic lights. This was later reconfirmed due to the other monitoring location points in the immediate vicinity being below the National Objectives for Nitrogen Dioxide. The monitoring site was kept in order to obtain long term data but has since been relocated away from the vehicle acceleration area and closer to the receptors.

Other Areas within Bridgend County Borough Council

All other diffusion tube results from around the Borough are in compliance with the National Air Quality Objectives



 Table 2.5 Results of Nitrogen Dioxide Diffusion Tubes in 2015

| Site ID | Location | Site Type | Within AQMA? | Triplicate or Co-located Tube | Full Calendar Year Data Capture 2015 (Number of Months or %) | Confirm if data has been distance corrected (Y/N) | 2015 Annual Mean Concentration (µg/m³) - Bias Adjustment factor = 0.81 |
|------------------|---------------------------------------|------------|-----------------|-------------------------------------|--|--|---|
| TONDU ROAI | D ROUNDABO | DUT | | | | | |
| DT1-OBC- 001A | Tondu Road, Bridgend | Kerbside | N | N | 67 ¹ | N | 27 |
| DT5-OBC-048 | Tondu Road Roundabout, Bridgend | Roadside | N | N | 92 | N | 34 |
| DT2-OBC-068 | Bridgend United Club | Roadside | N | N | 92 | N | 26 |
| DT3-OBC-069 | Tondu Rd Steps | Roadside | N | N | 75 | N | 27 |
| TREMAINS R | OAD | | | | | | |
| DT30-OBC- 096 | Domino's - 33 Tremains Road | Roadside | N | N | 92 | N | 28 |
| NOLTON ST | | GEND - WES | TERN LINK | | | | |
| DT23-OBC- 049 | Nolton Street, Bridgend | Roadside | N | N | 75 | N | 27 |
| DT24-OBC- 050 | Ewenny Road, Bridgend | Roadside | N | N | 58 ¹ | N | 16 |
| EWENNY CF | | DABOUT | | | | | |
| DT9-OBC-041 | Priory Avenue, Bridgend | Roadside | N | N | 100 | Y | 24 |
| DT12-OBC- 043 | A48 Bypass, Bridgend | Roadside | N | N | 92 | Y | 35 |
| DT8-OBC-044 | Ewenny Road, Bridgend | Roadside | N | N | 92 | Y | 26 |
| DT6-OBC-055 | Ewenny Road | Roadside | N | N | 75 | Υ | 16 |
| DT7-OBC-056 | Ewenny Road | Kerbside | N | N | 92 | Υ | 29 |





| Site ID | Location | Site Type | Within AQMA? | Triplicate or Co-located Tube | Full Calendar Year Data Capture 2015 (Number of Months or %) | Confirm if data has been distance corrected (Y/N) | 2015 Annual Mean Concentration (µg/m³) - Bias Adjustment factor = 0.81 |
|------------------|-----------------------------------|---------------------|-----------------|-------------------------------------|--|--|---|
| DT14-OBC- 075 | A48 Bypass, Bridgend | Urban Background | N | N | 92 | N | 18 |
| DT11-OBC- 076 | A48 Bypass, Bridgend | Roadside | N | N | 83 | Y | 47/ 36 ² |
| DT15-OBC- 078 | Corner of Ewenny Roundabout | Roadside | N | N | 92 | Y | 29 |
| DT17-OBC- 085 | A48 Bypass, Bridgend | Roadside | N | N | 92 | N | 23 |
| DT19-OBC- 087 | A48 Bypass, Bridgend | Roadside | N | N | 92 | N | 22 |
| DT20-OBC- 088 | A48 Bypass, Bridgend | Roadside | N | Y | 92 | N | 21 |
| DT21-OBC- 089 | A48 Bypass, Bridgend | Roadside | N | Y | 75 | N | 21 |
| DT22-OBC- 090 | A48 Bypass, Bridgend | Roadside | N | Y | 75 | N | 23 |
| DT16-OBC- 091 | A48 Bypass, Bridgend | Roadside | N | N | 100 | N | 23 |
| MAESTEG TO | OWN CENTRE | | | | | | |
| DT26-OBC- 080 | Commercial Street, Maesteg | Urban / Kerbside | N | N | 58 ¹ | Y | 24 |
| DT27-OBC- 081 | Talbot Street, Maesteg | Urban / Roadside | N | N | 83 | N | 25 |
| DT28-OBC- 082 | Castle Street, Maesteg | Urban / Roadside | N | N | 67 ¹ | N | 26 |
| DT29-OBC- 083 | Castle Street, Maesteg | Urban / Roadside | N | N | 92 | Υ | 26 |



Notes

¹ Data capture less than 75%. Result shall be "annualised" in accordance with Boxes 7.9 and 7.10 of LAQM.TG16.

² NO2 exceedence is measured at a monitoring site not representative of public exposure, NO₂ concentration at the nearest relevant exposure calculated based on the "NO₂ fall-off with distance" calculator (http://laqm.defra.gov.uk/tools-monitoring-data/no2-falloff.html).



Table 2.6 Results of Nitrogen Dioxide Diffusion Tubes (2011 to 2015)

| | | | Annual Mean Concentration (μg/m³) - Adjusted for Bias | | | | | | | | | |
|------------------|---------------------------------------|-----------------------|---|--|--|--|--|--|--|--|--|--|
| Site ID | Site Type | Within AQMA? | 2011 (Bias Adjustment Factor = 0.78) | 2012 (Bias Adjustment Factor = 0.79) | 2013 (Bias Adjustment Factor = 0.80) | 2014 (Bias Adjustment Factor = 0.81) | 2015 (Bias Adjustment Factor = 0.81) | | | | | |
| | OAD ROUND | ABOUT | - | | • | • | | | | | | |
| DT1-OBC- 001A | Kerbside | Ν | 37 | 36 | 33 | 40 | 27 | | | | | |
| DT5-OBC- 048 | Roadside | N | 43 | 41 | 41 | 36 | 34 | | | | | |
| DT2-OBC- 068 | Roadside | N | 31 | 29 | 32 | 28 | 26 | | | | | |
| DT3-OBC- 069 | Roadside | N | 35 | 35 | 40 | 29 | 27 | | | | | |
| TREMAIN | S ROAD, BR | ACKLA | | | | | | | | | | |
| DT30- OBC-096 | Roadside | N | N/A | N/A | N/A | 28 | 28 | | | | | |
| | DLTON STREET, BRIDGEND – WESTERN LINK | | | | | | | | | | | |
| DT23- OBC-049 | Roadside | N | 33 | 36 | 18 | 28 | 27 | | | | | |
| DT24- OBC-050 | Roadside | N | 24 | 28 | 24 | 19 | 16 | | | | | |
| EWENNY | CROSS RO | OUNDABOU [*] | Γ | | | | | | | | | |
| DT9-OBC- 041 | Roadside | N | 25 | 27 | 27 | 24 | 24 | | | | | |
| DT12- OBC-043 | Roadside | N | 41 | 41 | 43 | 38 | 35 | | | | | |
| DT8-OBC- 044 | Roadside | N | 29 | 28 | 28 | 27 | 26 | | | | | |
| DT6-OBC- 055 | Roadside | N | 20 | 19 | 22 | 18 | 16 | | | | | |
| DT7-OBC- 056 | Kerbside | N | 30 | 31 | 30 | 31 | 29 | | | | | |
| DT14- OBC-075 | Urban Background | N | 20 | 18 | 20 | 18 | 18 | | | | | |
| DT11- OBC-076 | Roadside | N | 55 | 52 | 46 | 45 | 36 | | | | | |
| DT15- OBC-078 | Roadside | N | 32 | 32 | 33 | 31 | 29 | | | | | |





| | | | Annua | al Mean Conce | ntration (µg/m ³ |) - Adjusted fo | r Bias |
|------------------|---------------------|-----------------|--|--|--|--|--|
| Site ID | Site Type | Within AQMA? | 2011 (Bias Adjustment Factor = 0.78) | 2012 (Bias Adjustment Factor = 0.79) | 2013 (Bias Adjustment Factor = 0.80) | 2014 (Bias Adjustment Factor = 0.81) | 2015 (Bias Adjustment Factor = 0.81) |
| DT17- OBC-085 | Roadside | Ν | 22 | 24 | 27 | 21 | 23 |
| DT19- OBC-087 | Roadside | N | 23 | 21 | 19 | 21 | 22 |
| DT20- OBC-088 | Roadside | Ν | 22 | 23 | 24 | 22 | 21 |
| DT21- OBC-089 | Roadside | N | 22 | 22 | 24 | 22 | 21 |
| DT22- OBC-090 | Roadside | Ν | 22 | 22 | 24 | 23 | 23 |
| DT16- OBC-091 | Roadside | Ν | 22 | 26 | 28 | 25 | 23 |
| MAESTEG | TOWN CEN | ITRE | | | | | |
| DT26- OBC-080 | Urban / Kerbside | N | 36 | 37 | 36 | 34 | 24 |
| DT27- OBC-081 | Urban / Roadside | N | 29 | 27 | 38 | 26 | 25 |
| DT28- OBC-082 | Urban / Roadside | N | 41 | 40 | 37 | 48 | 26 |
| DT29- OBC-083 | Urban / Roadside | N | 29 | 28 | 33 | 26 | 26 |



2.2.2 PM₁₀

As described in previous sections, monitoring of PM_{10} has continued to be carried out at Ewenny Cross Roundabout. However due to a failure of the air conditioning unit, no data was recorded prior to the 23^{rd} July 2015. In addition, following the installation of a new air conditioning unit, the MET E PM_{10} Analyser had to be sent away to the manufacturer for repair due to mechanical faults. Therefore due to low data capture and high uncertainty associated with the data collected, all data for PM_{10} has been rejected for 2015.



Table 2.7 – Results of Automatic Monitoring for PM₁₀: Comparison with Annual Mean Objective

| | | | Valid Data | Valid Data | Confirm | Annua | al Mean Co | ncentration | (µg/m³) |
|---------|-----------|--------------|---------------------------------------|----------------|---|--------------------|------------|-----------------|-----------------|
| Site ID | Site Type | Within AQMA? | Capture for Monitoring Period % | Capture 2015 % | Gravimetric Equivalent (Y or N/A) | 2012 | 2013 | 2014 | 2015 |
| CM1 | Roadside | N | 59.2 | 44 | N/A | 12.14 ⁵ | 14.30 | NR ⁶ | NR ⁶ |

Annualised result
 NO RESULT "NR". No data recorded for 2014 due to technical faults incurred with Automatic Monitoring Station



Table 2.8 – Results of Automatic Monitoring for PM₁₀: Comparison with 24-hour Mean

Objective

| Ī | | | | Valid Data | Valid Data | Confirm | Number of Daily N 2012 2013 | Means > 50µg/m³ | | |
|---|---------|-----------|--------------|---------------------------------------|----------------|---|-----------------------------|-----------------|-----------------|-----------------|
| | Site ID | Site Type | Within AQMA? | Capture for Monitoring Period % | Capture 2015 % | Gravimetric Equivalent (Y or N/A) | 2012 | 2013 | 2014 | 2015 |
| | CM1 | Roadside | N | 59.2 | 26.3 | N/A | 0 (14.27) ⁷ | 0 | NR ⁸ | NR ⁸ |

⁷ Annual data capture is less than 85%, result given in brackets is 90.4th percentile of 24 hour means

⁸ NO RESULT "NR". No data recorded for 2014 due to technical faults incurred with Automatic Monitoring Station





2.2.3 Sulphur Dioxide

Monitoring of Sulphur Dioxide SO₂ has continued to be carried out by Rockwool Ltd in the Rhiwceilog area of Bridgend. Monitoring has been carried out using an API AMX monitor capable of giving continuous fifteen minute averages of Sulphur Dioxide SO₂ concentrations. The equipment is calibrated by an Environment Officer at Rockwool and serviced and maintained by Enviro Technology on a six monthly basis. Data obtained is checked for validation and ratified by Rockwool's Environment Officer.

As stated previously there were technical issues faced. Rockwool Ltd has encountered communication errors with their SO₂ analyser. Rockwool are only able to provide data up until 5th November 2015. Total data capture was 82.3% and there were no exceedences of the objectives during this time period. With regards to the 15 minute SO₂ objective, Rockwool has provided 10 minute sampling periods, therefore please be aware that the result stipulated in Table 2.5 gives the 10 minute 99.9th Percentile result. At the time of writing this report, Rockwool has had the Analyser serviced and it is now recording data effectively.



Table 2.9 Results of Automatic Monitoring of SO₂: Comparison with Annual Mean Objectives

| | | | | | | ber of Exceeder | _ |
|------|------------|--------|-------------|---------------------|-----------------------|------------------------|------------------------|
| | | | Valid Data | Valid | (percen | tile in bracket با | lg/m°)° |
| | | | Capture for | Data | 15-minute | 1-hour | 24-hour |
| Site | | Within | monitoring | Capture | Objective | Objective | Objective |
| ID | Site Type | AQMA? | Period %a | 2015 % ^b | (266 μg/m³) | (350 μg/m³) | (125 μg/m³) |
| CM2 | Industrial | N | 100 | 83.2 | 0 (41.4) ⁹ | 0 (28.9) ¹⁰ | 0 (16.6) ¹¹ |

⁹ In accordance with LAQM TG(16), due to the fact data capture is <85% it is a requirement to report the 99.9th percentile for 15 minute SO₂, however in this instance it is the 99.9th percentile for 10 minute SO₂.

¹⁰In accordance with LAQM TG(16), due to the fact data capture is <85% it is a requirement to report the 99.7th percentile for 1 hour SO₂

¹¹In accordance with LAQM TG(16), due to the fact data capture is <85% it is a requirement to report the 99.2nd percentile for 24 hour SO₂





2.2.3 Benzene

Previous air quality reviews have eliminated the need to monitor benzene and there are no new sources within the County Borough since the last submission.

2.2.4 Other pollutants monitored

Previous air quality reviews have eliminated the need to monitor other pollutants and there are no new sources within the County Borough since the last submission. Bridgend County Borough Council does not carry out monitoring of any other pollutants at the present time.

2.2.5 Summary of Compliance with AQS Objectives

Bridgend County Borough Council has examined the results from monitoring in the borough. Concentrations are all below the objectives, therefore there is no need to proceed to a Detailed Assessment.



3 New Local Developments

3.1 Road Traffic Sources

Bridgend County Borough Council confirms that there are no new significant developments since the Updated Screening Assessment in 2015.

3.1.1 Narrow Congested Streets with Residential Properties Close to the Kerb

Bridgend County Borough Council confirms that there are no new/newly identified congested streets with a flow above 5,000 vehicles per day and residential properties close to the kerb, that have not been adequately considered in previous rounds of Review and Assessment.

3.1.2 Busy Streets Where People May Spend 1-hour or More Close to Traffic

With the exception of Maesteg Town Centre, Bridgend County Borough Council confirms that there are no new/newly identified busy streets where people may spend 1 hour or more close to traffic. Nitrogen Dioxide Monitoring via the utilisation of passive diffusion tubes has continued to be carried out within Maesteg Town Centre to enable a decision to be made whether it is necessary to proceed with a Detailed Assessment in the near future.

3.1.3 Roads with a High Flow of Buses and/or HGV's

Bridgend County Borough Council confirms that there are no newly identified roads with high flows of buses/HGVs.

3.1.4 Junctions

Bridgend County Borough Council confirms that there are no new/newly identified busy junctions/busy roads



3.1.5 New Roads Constructed or Proposed Since the Last Round of Review and Assessment

Bridgend County Borough Council confirms that there are no new/proposed roads.

3.1.6 Roads with Significantly Changed Traffic Flows

Bridgend County Borough Council confirms that there are no new/newly identified roads with significantly changed traffic flows.

3.1.7 Bus and Coach Stations

Bridgend County Borough Council confirms that there are no relevant bus stations in the Local Authority area.



3.2 Other Transport Sources

3.2.1 Airports

Bridgend County Borough Council confirms that there are no airports in the Local Authority area. However a small quantity of air traffic now traverses the south eastern part of the County Borough prior to its final approach to Cardiff International airport, Rhoose. It is unlikely that the emissions from the aircraft, in view of this small number, will have a significant effect on air quality in Bridgend.

3.2.2 Railways (Diesel and Steam Trains)

Stationary Trains

Bridgend County Borough Council confirms that there are no locations where diesel or steam trains are regularly stationary for periods of 15 minutes or more, with potential for relevant exposure within 15m.

Moving Trains

Bridgend County Borough Council confirms that there are no locations with a large number of movements of diesel locomotives, and potential long-term relevant exposure within 30m.

3.2.3 Ports (Shipping)

Bridgend County Borough Council confirms that there are no ports or shipping that meets the specified criteria within the Local Authority area.



3.3 Industrial Sources

3.3.1 New or Proposed Installations for which an Air Quality Assessment has been Carried Out

Bridgend County Borough Council has assessed new/proposed industrial installations, and concluded that it will not be necessary to proceed to a Detailed Assessment.

3.3.2 Existing Installations where Emissions have Increased Substantially or New Relevant Exposure has been Introduced

Bridgend County Borough Council confirms that there are no industrial installations with substantially increased emissions or new relevant exposure in their vicinity within its area or nearby in a neighbouring authority.

3.3.3 New or Significantly Changed Installations with No Previous Air Quality Assessment

Bridgend County Borough Council has assessed new/proposed industrial installations, and concluded that it will not be necessary to proceed to a Detailed Assessment

3.3.4 Major Fuel (Petrol) Storage Depots

There are no major fuel (petrol) storage depots within the Local Authority area.

3.3.5 Petrol Stations

Bridgend County Borough Council confirms that there are no petrol stations meeting the specified criteria

3.3.6 Poultry Farms

Bridgend County Borough Council confirms there are no poultry farms meeting the specified criteria.



3.4 Commercial and Domestic Sources

3.4.1 Biomass Combustion – Individual Installations

As previously identified in the 2011 Progress Report, planning consent had been granted for the installation of a Bio Gas Plant with gas pipeline and in vessel composting facility. It has however been established that the proposed development will not have a significant impact on air quality.

In addition to the above, planning consent has been granted for the installation of a bio-mass plant within the Llynfi Valley. However the plant has not yet been installed.

3.4.2 Biomass Combustion – Combined Impacts

Bridgend County Borough Council has assessed the proposed biomass combustion plant, and concluded that it will not be necessary to proceed to a Detailed Assessment.

3.4.3 Domestic Solid-Fuel Burning

Bridgend County Borough Council confirms that there are no areas of significant domestic fuel use in the Local Authority area.





3.5 New Developments with Fugitive or Uncontrolled Sources

Bridgend County Borough Council confirms that there are no new potential sources of fugitive particulate matter emissions in the Local Authority area since the last Updating Screening Assessment produced in 2015.



4 Planning Applications

Bridgend Council continue to monitor the impact of proposed developments and recent developments already underway or in use. Currently there is no development planning applications with significance since the last Progress Report.



5 Air Quality Planning Policies

Local Development Plan (LDP) 2006- 2021. The document provides a framework for sustainable development within the County Borough of Bridgend, outlining strategies and policies for future land use and development.

One of the main strategic LDP objectives is highlighted in Strategic Policy 4 (SP4) which promotes the conservation and enhancement of the natural environment. SP4 illustrates that development proposals will not be permitted where they have an adverse impact upon the quality of natural resources, including water air and soil.

Also highlighted within the LDP document is Policy ENV 7 (Natural Resource Protection and Public Health);

"Development proposals will only be permitted where it can be demonstrated that they would not cause a new, or exacerbate an existing, unacceptable risk of harm to health, biodiversity and/or local amenity due to: air pollution"

Where proposed developments indicate negative impacts, measures and mitigation methods must be detailed to enable impacts to be minimised to an acceptable level. For example, in terms of air quality, measures can include the production of an Air Quality Assessment and the implementation of conditions.



6 Local Transport Plans and Strategies

The Local Transport Plan (LTP) 2015- 2030. The Welsh Government now requires local authorities in Wales to prepare and adopt Local Transport Plan (LTPs) as the framework for identifying local transport schemes for improvements. LTPs therefore replace Regional Transport Plans.

Under guidance from the Welsh Government, local authorities have the choice to develop and adopt either joint LTPs with neighbouring local authorities or a stand-alone LTP for their own geographical area.

Bridgend County Borough Council has opted for the latter approach in view of the uncertainty of the future of local authority boundaries and structures amid discussions of reorganisation of local government.

The LTP looks to tackle growing traffic levels (and hence air quality impacts) by providing strategies which focus upon providing efficient and effective transport networks.

"The Council is mindful of the broader negative impact of transport related emissions on health and the natural environment"

"To reduce the environmental impact of transport, the LTP includes measures and interventions that will increase opportunities for active travel, encourage the use of public transport and promote modal integration."

The LTP policy recognises the Council's objective to achieving sustainable travel (alternatives to using cars) and reducing negative impacts on the environment. The policy suggests that through improved transport infrastructure and transport services this can be achieved.



7 Climate Change Strategies

The Authority's Climate Change Strategy was approved in April 2010. Details of the Strategy can be found on the Authority's website via the following link:

http://rusty.internal.bridgend.gov.uk/contribution/groups/bees/documents/about-bcbc/083672.doc



8 Implementation of Action Plans

Bridgend County Borough Council has not declared any Air Quality Management Areas therefore it has not been necessary to produce any action plans to date.



9 Conclusions and Proposed Actions

9.1 Conclusions from New Monitoring Data

Based on the new air quality monitoring data and information gathered on new and proposed developments since the Updated Screening Assessment produced by Bridgend County Borough Council in 2015, there were no exceedences of any air quality objective prescribed in the Air Quality (Wales) Regulations 2000 and the Air Quality (Amendment) (Wales) Regulations 2002.

The Authority is disappointed that limited continuous data could be gathered in 2015 due to air conditioning issues and mechanical faults. These faults have since been rectified and data is currently being gathered this year. As a result of this, the Automated Continuous NOx and PM₁₀ Analyser will be retained at this site to gather more data over the coming year.

Monitoring for NO₂ will continue at all the current locations throughout the Borough.

9.2 Conclusions from Assessment of Sources

The assessment of likely impacts from local development, transport industrial, commercial/domestic and fugitive/uncontrolled sites concludes that there are no new/newly identified sources likely to give rise to a significant impact on air quality within the County Borough

9.3 Proposed Actions

The Updated Screening Assessment Report has not identified a need to proceed to a Detailed Assessment for any pollutant.

The Progress Report has identified a need to continue monitoring for Nitrogen Dioxide in Maesteg Town Centre.

Monitoring of Nitrogen Dioxide and PM₁₀ will continue at the same sites as at the end of 2015.



The Automated Continuous NOx Analyser and co-location study will continue at Ewenny Cross Roundabout for this year. In the light of the acquired data, the positioning and possible relocation of the Automatic Monitoring Station will be decided at the end of 2016.

Bridgend County Borough Council will submit a Progress Report in May 2017.



10 References

Department for Environment, Food and Rural Affairs, 2003. Part IV of the Environment Act 1995, Environment (Northern Ireland) Order 2002 Part III Local Air Quality Management, Technical Guidance LAQM.TG(16). London: DEFRA (as updated April 2016)

BRIDGEND COUNTY BOROUGH COUNCIL LAQM REPORTS

First Stage Review and Assessment of Air Quality in Bridgend County Borough, September 1999

Second Stage Review and Assessment of Air Quality in Bridgend County Borough, December 2000

Updating and Screening Assessment of Air Quality in Bridgend County Borough, July 2003

Local Air Quality Management Progress Report, July 2005

Detailed Assessment of Nitrogen Dioxide and Particles (PM₁₀), March 2006

Updating and Screening Assessment of Air Quality in Bridgend County Borough, May 2006

Local Air Quality Management Progress Report, August 2007

Local Air Quality Management Progress Report, August 2008

Updating and Screening Assessment of Air Quality in Bridgend County Borough, June 2009

Local Air Quality Management Progress Report, June 2010

Detailed Assessment of Nitrogen Dioxide and Particles (PM₁₀), June 2010



Local Air Quality Management Progress Report, April 2011

Updating and Screening Assessment of Air Quality in Bridgend County Borough, May 2012

Local Air Quality Management Progress Report, June 2013

Local Air Quality Management Progress Report, June 2014

Updating and Screening Assessment of Air Quality in Bridgend County Borough, May 2015



Appendices

Appendix A: Diffusion Tube Monitoring Data 2015

| Site No | Nitrogen Dioxide Sites, Bridgend CBC | Grid Ref | Class | Distance of measurement from Kerb (m) | Distance from Kerb to Receptor | Relevant Exposure in m | Background Concentration | 24/12/2014 - 06/02/2015 | 06/02/2015 - 06/03/2015 | 06/03/2015 - 07/04/2015 | 07/04/2015 - 29/04/2105 | 30/04/2015 - 27/05/2015 | 27/05/2015 - 03/07/2015 | 03/07/2015 - 31/07/2105 | 31/07/2015 - 26/08/2015 | 26/08/2015 - 02/10/2015 | 02/10/2015 - 29/10/2015 | 29/10/2015 - 03/12/2015 | 03/12/2015 - 08/01/2016 | AVERAGE SINCE JAN 15 | Bias Corrected (Correction Factor 0.81) | Disatance corrected to Façade | Percentage of Data Capture |
|-----------|---|----------------------------------|------------------|---------------------------------------|--------------------------------|------------------------|--------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|----------------------|---|-------------------------------|----------------------------|
| TONDU ROA | D ROUNDABOUT | | | | | | | | | | | | | ,,,,,, | | | | 77777 | | | | | |
| OBC-001A | 13 Tondu Road, Bridgend | SS 90347 79955 | Kerbside | 0.46 | 7.20 | 6.74 | 18 | | 29 | 48 | 36 | 27 | | | 34 | 29 | 46 | | 36 | 36 | 28 | 23 | 67 |
| OBC-048 | Tondu Road Roundabout, Bridgend | SS 90337 79997 | Roadside | 2.23 | 11.83 | 9.60 | 18 | 55 | 47 | 45 | 50 | 39 | 23 | 31 | 32 | 35 | 52 | | 48 | 41 | 34 | 28 | 92 |
| OBC-068 | Bridgend United Club | SS 90356 79924 | Roadside | 3.83 | 3.83 | 0.00 | 18 | 47 | 37 | 49 | 31 | 23 | 11 | 16 | 28 | 25 | 47 | | 40 | 32 | 26 | 26 | 92 |
| OBC-069 | Tondu Rd Steps | SS 90326 80005 | Roadside | 2.89 | 13.33 | | 17 | | 38 | 42 | 38 | 34 | 32 | 21 | | 25 | 40 | | 32 | 33 | 27 | 24 | 75 |
| NOLTON ST | REET / EWENNY RD CROSS LINK | | Roduside | 2.09 | 13.33 | 10.44 | - 17 | | 30 | 42 | 36 | 34 | 32 | 21 | | 20 | 40 | | 32 | 33 | 21 | 24 | 75 |
| OBC-049 | 91 Nolton Street, Bridgend | SS 90700 79305 | Roadside | 4.25 | 4.95 | 0.70 | 18 | 45 | 42 | 41 | 33 | 22 | 25 | 22 | | | | 33 | 32 | 33 | 27 | 26 | 75 |
| OBC-050 | 2 Ew enny Road, Bridgend | SS 90665 79293 | Roadside | 7.33 | 13.84 | 6.51 | 18 | 17 | 30 | | 27 | 13 | 14 | 14 | | | | 24 | | 20 | 17 | 17 | 58 |
| BRACKLA | | SS 290970 | | | | | | | | | | | | | | | | | | | | | |
| | Domino's - 33 Tremains Road | 179494 | Roadside | 3.00 | 3.00 | 0.00 | 18 | 49 | 50 | 38 | | 29 | 23 | 27 | 37 | 37 | 21 | 38 | 38 | 35 | 28 | 28 | 92 |
| OBC-041 | UNDABOUT 55/57 Priory Avenue, Bridgend | SS 90733 78535 | Roadside | 1.29 | 8.67 | 7.38 | 13 | 43 | 41 | 36 | 31 | 22 | 21 | 22 | 24 | 31 | 37 | 22 | 22 | 29 | 24 | 20 | 100 |
| OBC-042 | Milstead, A48 Bypass, Bridgend | SS 90608 78546 | Roadside | 2.87 | 8.19 | 5.32 | 13 | | | | | | | | | | | | | #DIV/0! | #DIV/0! | | |
| OBC-043 | Darbury, A48 Bypass, Bridgend | SS 90609 78567 SS 90680 | Roadside | 2.04 | 11.83 | | 13 | 75 | | 47 | 46 | 13 | 38 | 31 | 41 | 49 | 54 | 40 | 39 | 43 | 35 | 27 | 92 |
| OBC-044 | 99 Ew enny Road, Bridgend | 78582 | Roadside | 13.66 | 24.04 | 10.38 | 13 | 38 | 43 | 38 | 34 | 25 | 23 | 24 | 29 | | 34 | 27 | 32 | 32 | 26 | 28 | 92 |
| OBC-055 | STL, Ew enny Road | SS 90583 78371 | Roadside | 3.18 | 9.66 | 6.48 | 13 | 26 | 19 | 31 | 25 | 11 | | 11 | 17 | | | 18 | 17 | 19 | 16 | 16 | 75 |
| OBC-056 | Parkhof, Ew enny Road | SS 90596 78361 SS 906607 | Kerbside | 0.47 | 12.30 | 11.83 | 13 | 40 | 47 | 43 | 34 | 18 | | 25 | 33 | 38 | 49 | 31 | 37 | 36 | 29 | 20 | 92 |
| OBC-075 | Rear of Darbury | 78580 | Urban Background | 18.51 | 18.51 | 0.00 | 13 | 26 | 27 | 26 | 25 | 19 | 12 | 13 | 19 | 26 | 32 | | 20 | 22 | 18 | 18 | 92 |
| OBC-076 | Further down from Milstead | SS 90522 78549 SS 90561 | Roadside | 2.33 | 8.96 | 6.63 | 13 | 74 | 66 | | 63 | 52 | 42 | 49 | 51 | 61 | 75 | 51 | | 58 | 47 | 36 | 83 |
| OBC-077 | Further down from Darbury | 78565 | Roadside | 1.88 | 19.33 | 17.45 | 13 | | | | | | | | | | | | | #DIV/0! | #DIV/0! | | |
| OBC-078 | Corner of Ewenny Roundabout | SS 90662 78533 | Roadside | 1.85 | 6.25 | 4.40 | 13 | 47 | 50 | 36 | 34 | 23 | 29 | 28 | 29 | 37 | 48 | | 31 | 36 | 29 | 25 | 92 |
| OBC-085 | Property Façade of (Further down from Mistead) | SS 290524 178541 SS 90606 | Roadside | 10.28 | 10.28 | 0.00 | 13 | 34 | 32 | | 33 | 20 | 21 | 21 | 24 | 27 | 58 | 24 | 19 | 28 | 23 | 23 | 92 |
| OBC-087 | Property Façade of Danbury | 78572 | Roadside | 9.40 | 9.40 | 0.00 | 13 | 31 | 31 | 31 | 28 | 45 | 20 | 18 | 20 | 21 | 27 | | 22 | 27 | 22 | 22 | 92 |
| OBC-088 | Co-location -Tube 1 | SS 90566 78566 SS 90566 | Roadside | 2.20 | 2.20 | 0.00 | 13 | 32 | 31 | 31 | 28 | 15 | 13 | 16 | | 29 | 41 | 24 | 21 | 26 | 21 | 21 | 92 |
| OBC-089 | Co-location -Tube 2 | 78566 SS 90566 | Roadside | 2.20 | 2.20 | 0.00 | 13 | 28 | | 32 | 28 | 15 | | 16 | | 30 | 42 | 22 | 20 | 26 | 21 | 21 | 75 |
| OBC-090 | Co-location -Tube 3 | 78566 | Roadside | 2.20 | 2.20 | 0.00 | 13 | 35 | | 29 | 31 | 12 | 14 | 15 | | 29 | 66 | | 25 | 28 | 23 | 23 | 75 |
| OBC-091 | Property Façade of Milstead | SS 290610 178533 | Roadside | 13.39 | 13.39 | 0.00 | 13 | 38 | 34 | 35 | 32 | 21 | 21 | 16 | 25 | 30 | 38 | 27 | 24 | 28 | 23 | 23 | 100 |
| MAESTEG 1 | OWN CENTRE | | | | | | | ,,,,,,, | | ,,,,,,, | | | | | ,,,,,, | | | | ,,,,,, | | | | |
| OBC-080 | Opposite Card Factory, Talbot Street, Maesteg | SS 285131 191284 SS 285229 | Urban / Kerbside | 0.58 | 1.79 | 1.21 | 11 | | | | 29 | 20 | 25 | 22 | | 26 | 38 | 31 | | 27 | 26 | 23 | 58 |
| OBC-081 | Opposite Maesteg Indoor Market Entrance, Talbot Street, Maesteg | 191331 | Urban / Roadside | 1.26 | 1.26 | 0 | 11 | | 42 | 37 | 28 | 30 | 21 | 26 | 32 | 25 | 39 | | 26 | 31 | 25 | 25 | 83 |
| OBC-082 | Opposite Fluid Nightclub, Castle Street, Maesteg | SS 285296 191398 | Urban / Roadside | 2.72 | 2.72 | 0 | 11 | | | 34 | 28 | 25 | 26 | 27 | 33 | 28 | | | 32 | 29 | 28 | 28 | 67 |
| OBC-083 | Outside Maesteg Day Centre, Castle Street, Maesteg | SS 285370 191382 | Urban / Roadside | 2.04 | 8.94 | 6.9 | 11 | 41 | 46 | 34 | 30 | 20 | 24 | 25 | 32 | 30 | | 38 | 31 | 32 | 26 | 21 | 92 |
| | | | | | | | | | | | | | | | | | | | | | | | |

Appendix B: QA/QC Data

Diffusion Tube Bias Adjustment Factors

A database of bias adjustment factors determined from Local Authority co-location studies throughout the UK has been collated by the LAQM Helpdesk. The National Diffusion Tube Bias Adjustment Factor Spreadsheet (Version 03/15) was used to obtain an overall adjustment factor of 0.81 from the input data shown in the following screen shot. This overall factor is based on 21 co-location studies where the tube preparation method and analysis laboratory used were the same as those used by Bridgend Borough Council.

Figure B.1: National Diffusion Tube Bias Adjustment Factor Spreadsheet

| National Diffusion Tube | e Bias Adj | ustme <u>n</u> t | Fa | ctor Spreadsheet | | | Spreadsh | eet Ver | sion Numt | er: 03/16 |
|--|--|---|-------------------|--|-------------------------------|---|--|----------------|--|--------------------------------------|
| Follow the steps below in the correct ord Data only apply to tubes exposed monthly a Whenever presenting adjusted data, you st This spreadhseet will be updated every fev | and are not suitable nould state the adju | for correcting stment factor u | individ sed ar | ual short-term monitoring periods nd the version of the spreadsheet | ourage thei | r immediate use | е. | updat | spreadshe ted at the er 2016 M Helpdesk | nd of June |
| The LAQM Helpdesk is operated on behalf of D contract partners AECOM and the National Ph | | ed Administratio | ons by l | Bureau Veritas, in conjunction with | | eet maintained by Air Quality C | by the National onsultants Ltd. | Physica | l Laboratory | , Original |
| Step 1: | Step 2: | Step 3: | | | | Step 4: | | | | |
| | <u>Select a</u> | Selecta | Whe | re there is only one study for a ch | osen com | oination, you | should use tl | ne adju: | stment fac | tor show |
| Select the Laboratory that Analyses Your. Tubes from the Drop-Down List | Preparation. | Year from the | with | caution. Where there is more tha | n one stud | ly, use the ov | erall factor ⁴ | shown i | n blue at t | he foot o |
| Tubes from the Drop-Down List | Method from the | Drop-Down | | | | nal column. | | | | |
| If a laboratory ir notzhoun, we have no data for thir laboratory. | If a proparation mothod is not shown, we have no dat- ior this mothod at this laboratory. | If a year ir not shown, we have no data | lf | you have your own co-location study the Management Helpdesk at l | | | iveritas.com or 0 | | | |
| Analysed By ¹ | Method | Year ^s | Site Typ e | Local Authority | Length of Study (months | Diffusion Tube Mean Conc. (Dm) (µg/m³) | Automatic Monitor Mean Conc. (Cm) | Bias (B) | Tube Precisio n ⁶ | Bias Adjustme nt Factor (A) |
| ,T | * | T, | | | , | (pgiiii) | (µg/m³) | | | (Cm/Dm) |
| ESG Didcot | 50% TEA in acetone | 2015 | R | Dumfries and Galloway Council | 12 | 35 | 30 | 14.6% | G | 0.87 |
| ESG Didcot | 50% TEA in acetone | 2015 | В | Gravesham Borough Council | 12 | 40 | 30 | 34.1% | G | 0.75 |
| ESG Didcot | 50% TEA in acetone | 2015 | В | Gravesham Borough Council | 12 | 30 | 23 | 29.8% | P | 0.77 |
| SG Didcot | 50% TEA in acetone | 2015 | UI | North Lincolnshire | 11 | 24 | 18 | 36.5% | Р | 0.73 |
| ESG Didcot | 50% TEA in acetone | 2015 | R | Swale BC | 11 | 38 | 32 | 19.3% | Р | 0.84 |
| ESG Didcot | 50% TEA in acetone | 2015 | R | Swale BC | 10 | 48 | 39 | 21.0% | G | 0.83 |
| ESG Didcot | 50% TEA in acetone | 2015 | R | Swale Borough Council | 11 | 40 | 34 | 19.7% | P | 0.84 |
| ESG Didcot | 50% TEA in acetone | 2015 | R | Wrexham County Borough Council | 12 | 19 | 19 | 0.6% | G | 0.99 |
| ESG Didcot | 50% TEA in acetone | 2015 | UC | Cardiff Council | 10 | 26 | 26 | 1.6% | G | 0.98 |
| ESG Didcot | 50% TEA in acetone | 2015 | KS | Marylebone Road Intercomparison | 12 | 104 | 81 | 27.9% | G | 0.78 |
| ESG Didcot | 20% TEA in water | 2015 | KS | Marylebone Road Intercomparison | 12 | 108 | 81 | 33.8% | G | 0.75 |
| ESG Didoot ESG Didoot | 50% TEA in acetone | 2015 2015 | R KS | Vale of White Horse District Council | 11 | 34 42 | 29 31 | 15.7% 36.9% | G G | 0.86 0.73 |
| ESG Didoot | 20% TEA in water 50% TEA in acetone | 2015 | UI | South Lakeland District Council Stockton on Tees | 12 | 24 | 18 | 29.4% | G | 0.73 |
| ESG Didoot | 50% TEA in acetone | 2015 | B | Stockton on Tees | 12 | 17 | 14 | 21.5% | G | 0.77 |
| SG Didcot | 50% TEA in acetone | 2015 | KS | Suffolk Coastal DC | 12 | 44 | 35 | 26.0% | P | 0.82 |
| ESG Didoot | 20% TEA in acetone | 2015 | R | Rhondda Cynon Taf CBC | 12 | 30 | 29 | 3.9% | G | 0.79 |
| ESG Didcot | 50% TEA in acetone | 2015 | SU | Thanet District Council | 9 | 17 | 15 | 10.6% | G | 0.90 |
| ESG Didcot | 50% TEA in acetone | 2015 | B | Thanet District Council | 12 | 27 | 23 | 17.8% | G | 0.85 |
| SG Didcot | 50% TEA in acetone | 2015 | В | Medway Council | 12 | 21 | 12 | 77.3% | G | 0.56 |
| SG Didcot | 50% TEA in acetone | 2015 | B | Medway Council | 11 | 32 | 23 | 42.6% | G | 0.70 |
| ESG Didoot | 50% TEA in acetone | 2015 | B | North East Lincolnshire Council | 10 | 34 | 28 | 21.2% | P | 0.83 |
| SG Didcot | 50% TEA in acetone | 2015 | B | North East Lincolnshire Council | 11 | 39 | 28 | 38.6% | G | 0.72 |
| ESG Didcot | 50% TEA in acetone | 2015 | B | North East Lincolnshire Council | 11 | 55 | 47 | 16.2% | G | 0.12 |
| SG Didcot | 20% TEA in water | 2015 | | Overall Factor ³ (3 studies) | | | | | Use | 0.81 |
| ESG Didcot | 50% TEA in acetone | 2015 | | Overall Factor ¹ (21 studies) | | | | | Use | 0.81 |

Discussion of Choice of Factor to use

The bias adjustment factor applied to all 2015 data is 0.81. The applied bias adjustment factor has been calculated using the national diffusion tube bias adjustment factor spreadsheet version 03/15. The individual bias adjustment factor calculated using Ewenny Cross Roundabout automatic monitoring system and the co-located triplicate diffusion tubes has not been used due to low data capture (<6 months) at the automatic monitoring site.

Short-term to Long-term Data Adjustment

AMS Adjustment

The Ewenny Cross Roundabout AMS had poor annual data capture for Nitrogen Dioxide (NO₂) (44%). As a result, the nitrogen dioxide data presented in this report from this monitor has been annualised according to the methods presented in Boxes 7.9 & 7.10 of LAQM TG(16). Two long-term AURN urban background continuous monitoring sites, within a distance of approximately 50 miles from Bridgend were selected, Cwmbran and Bristol St Paul's.

Table B.1 – Long term AURN sites used for calculation of nitrogen dioxide annualisation ratio for Ewenny Cross Roundabout AMS

| Site | Site Type | Annual Mean (µg/m³) | Period Mean (µg/m³) | Ratio |
|------------------------|---------------------|------------------------|------------------------|-------|
| Cwmbran AURN | Urban Background | 11.80 | 10.58 | 1.12 |
| Bristol St Paul's AURN | Urban Background | 25.84 | 26.9 | 0.96 |
| | Ave | erage Ratio | | 1.04 |

Diffusion Tubes Adjustment

The Nitrogen Dioxide (NO_2) obtained via the use of passive diffusion tubes during January to December 2015 were annualised via the method described in Boxes 7.9 & 7.10 of LAQM TG(16). Due to insufficient data capture from the Ewenny Cross Roundabout Continuous Monitoring Analyser (<85%), two long-term AURN urban background continuous monitoring sites, within a distance of approximately 50 miles from Bridgend were selected, Cwmbran and Bristol St Paul's.

Table B.2 – Long term AURN sites used for calculation of nitrogen dioxide annualisation ratio for Diffusion Tube OBC-001A

| Site | Site Type | Annual Mean (µg/m³) | Period Mean (µg/m³) | Ratio |
|---------------------------|---------------------|------------------------|------------------------|-------|
| Cwmbran AURN | Urban Background | 12.34 | 13.07 | 0.94 |
| Bristol St Paul's AURN | Urban Background | 25.98 | 26.5 | 0.98 |
| | Ave | rage Ratio | | 0.96 |

Table B.3 – Long term AURN sites used for calculation of nitrogen dioxide annualisation ratio for Diffusion Tube OBC-050

| Site | Site Type | Annual Mean (µg/m³) | Period Mean (µg/m³) | Ratio |
|---------------------------|---------------------|------------------------|------------------------|-------|
| Cwmbran AURN | Urban Background | 12.34 | 12.08 | 1.02 |
| Bristol St Paul's AURN | Urban Background | 25.98 | 23.91 | 1.09 |
| | Ave | erage Ratio | | 1.05 |

Table B.4 – Long term AURN sites used for calculation of nitrogen dioxide annualisation ratio for Diffusion Tube OBC-080

| Site | Site Type | Annual Mean (µg/m³) | Period Mean (µg/m³) | Ratio |
|------------------------|---------------------|------------------------|------------------------|-------|
| Cwmbran AURN | Urban Background | 12.34 | 10.19 | 1.21 |
| Bristol St Paul's AURN | Urban Background | 25.98 | 23.38 | 1.11 |
| | Ave | erage Ratio | | 1.16 |

Table B.5 – Long term AURN sites used for calculation of nitrogen dioxide annualisation ratio for Diffusion Tube OBC-082

| Site | Site Type | Annual Mean (µg/m³) | Period Mean (µg/m³) | Ratio |
|---------------------------|---------------------|------------------------|------------------------|-------|
| Cwmbran AURN | Urban Background | 12.34 | 10.44 | 1.18 |
| Bristol St Paul's AURN | Urban Background | 25.98 | 22.40 | 1.16 |
| | Ave | erage Ratio | | 1.17 |

QA/QC of Diffusion Tube Monitoring

The diffusion tubes are supplied and analysed by Environmental Scientifics Group Didcot, using the 50% triethanolamine (TEA) in water method. Environmental Scientifics Group Didcot participates in the Annual Field Inter-Comparison Exercise and Workplace Analysis Scheme for Proficiency (WASP) inter-comparison scheme for nitrogen dioxide diffusion tube analysis. From April 2014 the WASP Scheme was combined with the STACKS scheme to form the new AIR scheme, which Environmental Scientifics Group participates in. The AIR scheme is an independent analytical proficiency testing scheme operated by LGC Standards and supported by the Health and Safety Laboratory (HSL).

The laboratory Environmental Scientifics Group Didcot is regarded ranked as the highest rank of satisfactory in relation to the WASP intercomparison scheme for spiked Nitrogen



Dioxide diffusion tubes. Information regarding tube precision can be obtained via http://laqm.defra.gov.uk/diffusion-tubes/precision.html Information regarding WASP results can be obtained via http://laqm.defra.gov.uk/diffusion-tubes/qa-qc-framework.html

Uncertainties

All values presented in this report are the best possible estimates, but uncertainties in the results might cause over-or under-predictions. All of the measured concentrations presented have an intrinsic margin of error. DEFRA and the Das suggest that this is of the order of plus or minus 20% for diffusion tube data and plusor minus 10% for automatic measurements.

The UK Government's Air Quality Expert Group (AQEG) has published a report on trends in primary nitrogen dioxide in the UK (AQEG, 2007). This examines evidence that shows that while NOx emissions have fallen in line with predictions made a decade previously, the composition of NOx has, in some urban environments, changed. This may have caused nitrogen dioxide levels at some locations to fall less rapidly than was expected. The latest guidance from DEFRA and the DAs (2009) has been followed regarding NOx to NO₂ relationships.

The limitations to the assessment should be borne in mind when considering the results set out in preceding sections.